

## EAST Search History

| Ref # | Hits | Search Query   | DBs   | Default Operator | Plurals | Time Stamp          |
|-------|------|--|---|------------------|---------|---------------------|
| L1    | 0    | (stereoscopic or stereoscope) and setting adj depth adj information and (two-dimensional\$1 or two adj dimensional\$1)and graphic adj data | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2009/03/06<br>14:08 |
| L2    | 157  | (stereoscopic or stereoscope) and depth and(two-dimensional\$1 or two adj dimensional\$1)and graphic adj data                              | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2009/03/06<br>14:09 |
| L3    | 133  | L2 and(@ad<"20020829" or @rlad<"20020829" or @prad<"20020829" or @ptad<"20020829")   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2009/03/06<br>14:22 |
| L4    | 0    | L3 and editing adj unit  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2009/03/06<br>14:23 |
| L5    | 13   | L3 and editing   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2009/03/06<br>14:23 |
| L6    | 0    | L5 and assigning and depth and quantitative adj values   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2009/03/06<br>14:24 |
| L7    | 0    | L5 and depth and quantitative adj values   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2009/03/06<br>14:25 |
| L8    | 0    | L5 and depth and quantitative adj values   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2009/03/06<br>14:25 |
| L9    | 13   | L5 and depth and values  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2009/03/06<br>14:25 |

|     |     |  |   |    |    |                     |
|-----|-----|--|---|----|----|---------------------|
| L10 | 13  | L9 and display\$3  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/03/06<br>14:26 |
| L11 | 9   | L10 and @ad<"20020829"   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/03/06<br>14:26 |
| L12 | 133 | L3 and (object or circle or triangle or rectangle)   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/03/06<br>14:33 |
| L13 | 133 | L12 and(@ad<"20020829" or @rlad<"20020829" or @prad<"20020829" or @ptad<"20020829")  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/03/06<br>14:34 |
| L14 | 16  | L13 and assign\$3 and depth adj values   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/03/06<br>14:35 |
| L15 | 16  | L14 and display\$3   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/03/06<br>14:35 |
| L16 | 16  | L15 and(@ad<"20020829" or @rlad<"20020829" or @prad<"20020829" or @ptad<"20020829")  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/03/06<br>14:35 |
| L17 | 16  | L16 and(object or circle or triangle or rectangle)   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/03/06<br>14:36 |
| L18 | 0   | L17 and editing adj unit   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/03/06<br>14:36 |
| L19 | 16  | L17 and(stereoscopic or stereoscope)and depth and (two-dimensional\$1 or two adj dimensional\$1)and(graphic adj data or figure adj data) | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/03/06<br>14:37 |

|     |    |   |   |    |    |                     |
|-----|----|---|---|----|----|---------------------|
| L20 | 12 | L19 and @ad<"20020829"  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/03/06<br>14:38 |
| L21 | 12 | L20 and(@ad<"20020829" or<br>@rlad<"20020829" or<br>@prad<"20020829" or<br>@ptad<"20020829")                              | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/03/06<br>14:39 |
| L22 | 9  | (stereoscopic or stereoscope)<br>and depth and(two-<br>dimensional\$1 or two adj<br>dimensional\$1)and figure adj<br>data | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/03/06<br>14:52 |
| L23 | 5  | L22 and(@ad<"20020829" or<br>@rlad<"20020829" or<br>@prad<"20020829" or<br>@ptad<"20020829")                              | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/03/06<br>14:52 |
| L25 | 0  | L23 and editing   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/03/06<br>14:53 |
| L26 | 4  | L22 and @ad<"20020829"  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/03/06<br>14:53 |
| L27 | 4  | L26 and(object or circle or<br>triangle or rectangle)   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/03/06<br>14:53 |
| L28 | 0  | L27 and assign\$3 and depth<br>adj values   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/03/06<br>14:53 |
| L29 | 2  | L27 and assign\$3 and depth   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/03/06<br>14:54 |
| L30 | 2  | L29 and display\$3  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/03/06<br>14:54 |
| L31 | 11 | ((HIROAKI) near2 (ZAIMA)).<br>INV.  | US-PGPUB;<br>USPAT                                      | OR | ON | 2009/03/06<br>14:56 |

|     |       |   |   |    |    |                  |
|-----|-------|---|---|----|----|------------------|
| L32 | 1     | L31 and(stereoscopic or stereoscope)and depth and (two-dimensional\$1 or two adj dimensional\$1)and figure adj data             | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/06 14:56 |
| L33 | 36621 | "382"/\$.ccls.  | USPAT                                       | OR | ON | 2009/03/06 14:59 |
| L34 | 0     | L33 and(stereoscopic or stereoscope)and depth and (two-dimensional\$1 or two adj dimensional\$1)and figure adj data             | USPAT                                       | OR | ON | 2009/03/06 14:59 |
| L35 | 205   | L33 and(stereoscopic or stereoscope)and depth and (two-dimensional\$1 or two adj dimensional\$1)                                | USPAT                                       | OR | ON | 2009/03/06 14:59 |
| L36 | 5     | L35 and(two-dimensional\$1 or two adj dimensional\$1)and (graphic adj data or figure adj dat)                                   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/06 15:01 |
| L37 | 4     | L36 and @ad< "20020829"   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/06 15:01 |
| L38 | 0     | L37 and assign\$3 and depth adj values  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/06 15:01 |
| L39 | 0     | 707/101,E17.998,181,104.1 E17.009,E17.008.ccls.   | USPAT                                       | OR | ON | 2009/03/06 15:09 |
| L40 | 0     | 707/101,E17.998,181,104.1 E17.009,E17.008.ccls.   | USPAT                                       | OR | ON | 2009/03/06 15:10 |
| L41 | 0     | 707/101,E17.998,181,104.1, E17.009,E17.008.ccls.  | USPAT                                       | OR | ON | 2009/03/06 15:10 |
| L42 | 31671 | "707"/\$.ccls.  | USPAT                                       | OR | ON | 2009/03/06 15:11 |
| L43 | 5     | L42 and(stereoscopic or stereoscope)and depth and (two-dimensional\$1 or two adj dimensional\$1)and(figure adj data or graphic) | USPAT                                       | OR | ON | 2009/03/06 15:14 |
| L44 | 4     | L43 and(@ad< "20020829" or @rlad< "20020829" or @prad< "20020829" or @ptad< "20020829")   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/06 15:14 |

|     |      |  |   |    |    |                     |
|-----|------|--|---|----|----|---------------------|
| L45 | 12   | L14 and @ad<"20020829"   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/03/06<br>15:14 |
| L46 | 4    | L44 and @ad<"20020829"   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/03/06<br>15:15 |
| L47 | 0    | L46 and assign\$3 and depth<br>adj values  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/03/06<br>15:15 |
| L48 | 0    | L46 and depth adj values   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/03/06<br>15:15 |
| L49 | 817  | 700/87,181,86,87.ccls.   | USPAT   | OR | ON | 2009/03/06<br>15:18 |
| L50 | 0    | L49 and(stereoscopic or<br>stereoscope)and depth and<br>(two-dimensional\$1 or two adj<br>dimensional\$1)and(figure adj<br>data or graphic)                                      | USPAT   | OR | ON | 2009/03/06<br>15:19 |
| L51 | 0    | L49 and(stereoscopic or<br>stereoscope)and depth and<br>(two-dimensional\$1 or two adj<br>dimensional\$1)and(figure adj<br>data or graphic adj data)                             | USPAT   | OR | ON | 2009/03/06<br>15:19 |
| L52 | 1292 | 369/30.04,116,30.04.ccls.  | USPAT   | OR | ON | 2009/03/06<br>15:21 |
| L53 | 1    | L52 and(stereoscopic or<br>stereoscope)and depth and<br>(two-dimensional\$1 or two adj<br>dimensional\$1)and(figure adj<br>data or graphic)                                      | USPAT   | OR | ON | 2009/03/06<br>15:22 |
| L54 | 0    | L49 and(stereoscopic or<br>stereoscope)and(editing or<br>modifying)and depth and(two-<br>dimensional\$1 or two adj<br>dimensional\$1)and(figure adj<br>data or graphic adj data) | USPAT   | OR | ON | 2009/03/06<br>15:26 |
| L55 | 47   | (stereoscopic or stereoscope)<br>and(editing or modifying)and<br>depth and(two-dimensional\$1<br>or two adj dimensional\$1)and<br>(figure adj data or graphic adj<br>data)       | USPAT   | OR | ON | 2009/03/06<br>15:26 |
| L56 | 47   | L55 and(object or circle or<br>triangle or rectangle)  | USPAT   | OR | ON | 2009/03/06<br>15:27 |

|     |       |   |   |    |    |                  |
|-----|-------|---|---|----|----|------------------|
| L57 | 4     | L56 and assign\$3 and depth adj values  | USPAT   | OR | ON | 2009/03/06 15:27 |
| L58 | 3     | L57 and @ad<"20020829"  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/03/06 15:27 |
| L59 | 48093 | "345"/\$.ccls.  | USPAT   | OR | ON | 2009/03/06 15:38 |
| L60 | 278   | L59 and(stereoscopic or stereoscope)and depth and (two-dimensional\$1 or two adj dimensional\$1)and(figure adj data or graphic) | USPAT   | OR | ON | 2009/03/06 15:38 |
| L61 | 271   | L60 and(object or circle or triangle or rectangle)  | USPAT   | OR | ON | 2009/03/06 15:39 |
| L62 | 49    | L61 and assign\$3 and depth adj values  | USPAT   | OR | ON | 2009/03/06 15:39 |
| L63 | 9     | L62 and(two-dimensional\$1 or two adj dimensional\$1)and (graphic adj data or figure adj dat)                                   | USPAT   | OR | ON | 2009/03/06 15:40 |
| L64 | 9     | L63 and(@ad<"20020829" or @rlad<"20020829" or @prad<"20020829" or @ptad<"20020829")   | USPAT   | OR | ON | 2009/03/06 15:40 |
| L65 | 8     | L63 and @ad<"20020829"  | USPAT   | OR | ON | 2009/03/06 15:41 |
| L66 | 8     | L65 and display\$3  | USPAT   | OR | ON | 2009/03/06 15:41 |
| L67 | 80561 | "348"/\$.ccls.  | USPAT   | OR | ON | 2009/03/06 15:49 |
| L68 | 80561 | "348"/\$.ccls.  | USPAT   | OR | ON | 2009/03/06 15:49 |
| L69 | 278   | L68 and(stereoscopic or stereoscope)and depth and (two-dimensional\$1 or two adj dimensional\$1)and(figure adj data or graphic) | USPAT   | OR | ON | 2009/03/06 15:49 |
| L70 | 275   | L69 and(object or circle or triangle or rectangle or polygon or still adj images or animat\$3 adj image\$1 or text or vector)   | USPAT   | OR | ON | 2009/03/06 15:51 |
| L71 | 34    | L70 and(two-dimensional\$1 or two adj dimensional\$1)and (graphic adj data or figure adj dat)                                   | USPAT   | OR | ON | 2009/03/06 15:52 |

|     |    |  |   |    |     |                  |
|-----|----|--|---|----|-----|------------------|
| L72 | 0  | L71 and(stereoscopic or stereoscope)and(editing or modifying)and display\$3 and sensed and (left and right) same eye and depth and(two-dimensional\$1 or two adj dimensional\$1)and(figure adj data or graphic adj data)   | USPAT                                       | OR | ON  | 2009/03/06 15:53 |
| L73 | 0  | L71 and(stereoscopic or stereoscope)and display\$3 and sensed and(left and right) same eye and depth and(two-dimensional\$1 or two adj dimensional\$1)and(figure adj data or graphic adj data)   | USPAT                                       | OR | ON  | 2009/03/06 15:53 |
| L74 | 0  | L71 and(stereoscopic or stereoscope)and display\$3 and sensed and(left and right) same eye and depth   | USPAT                                       | OR | ON  | 2009/03/06 15:53 |
| L75 | 3  | L71 and(stereoscopic or stereoscope)and display\$3 and sensed and(left and right) same eye and depth   | USPAT                                       | OR | ON  | 2009/03/06 15:54 |
| L76 | 3  | L71 and(stereoscopic or stereoscope)and(editing or modifying)and display\$3 and sensed and (left and right) same eye and depth and(two-dimensional\$1 or two adj dimensional\$1)and(figure adj data or graphic adj data)   | USPAT                                       | OR | ON  | 2009/03/06 15:54 |
| L77 | 3  | L76 and (@ad< "20020829" or @rlad< "20020829" or @prad< "20020829" or @ptad< "20020829")   | USPAT                                       | OR | ON  | 2009/03/06 15:54 |
| L78 | 3  | L76 and @ad< "20020829"  | USPAT                                       | OR | ON  | 2009/03/06 15:54 |
| L79 | 94 | ((("5278946") or ("20060143020") or ("5537528") or ("4042866") or ("5065347") or ("5255201") or ("5631784") or ("5847898") or ("20050086681") or ("20070296721") or ("4914621") or ("5453764") or ("5625782") or ("5689342") or ("5767846") or ("5835923") or ("5835916") or ("5862311") or ("6212440") or ("6212440") or ("6349302") or ("6590584") or ("6651069") or ("7113952") or ("20020073093") or ("20040049626") or ("4836017") or ("5341462") or ("6152298") or | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/06 16:04 |

|     |   |  |   |    |    |                     |
|-----|---|--|---|----|----|---------------------|
|     |   | ("20060265649") or<br>("5224658") or ("5367455") or<br>("5418764") or ("5654947") or<br>("4400977") or ("4458857") or<br>("4507554") or ("4546649") or<br>("4570790") or ("4586605") or<br>("4588081") or ("4773026") or<br>("4788424") or ("4835389") or<br>("4862439") or ("4886184") or<br>("4915498") or ("4945245") or<br>("4944401") or ("5197002") or<br>(").pn.")).PN. |   |    |    |                     |
| L80 | 3 | L71 and(stereoscopic or<br>stereoscope)and display\$3<br>and sensed and(left and right)<br>same eye and depth  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/03/06<br>16:08 |
| L81 | 3 | L80 and(two-dimensional\$1 or<br>two adj dimensional\$1)and<br>(graphic adj data or figure adj<br>dat)   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/03/06<br>16:08 |
| L82 | 0 | L81 and assign\$3 and depth<br>adj values  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/03/06<br>16:09 |
| L83 | 0 | L81 and depth adj values   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/03/06<br>16:09 |
| L84 | 3 | L81 and(object or circle or<br>triangle or rectangle or<br>polygon or still adj images or<br>animat\$3 adj image\$1 or text<br>or vector)  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/03/06<br>16:10 |
| L85 | 0 | L81 and assign\$3 adj depth  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/03/06<br>16:10 |
| L86 | 3 | L84 and depth and values   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/03/06<br>16:11 |
| L90 | 1 | (depth adj information and<br>depth and(two-dimensional\$1<br>or two adj dimensional\$1)and<br>figure adj data).CLM.   | US-PGPUB  | OR | ON | 2009/03/06<br>16:19 |

3/ 6/ 09 4:20:47 PM

C:\ Documents and Settings\ SChawan\ My Documents\ EAST\ Workspaces\ 6013.wsp